

# Package: blockr.ggplot (via r-universe)

May 26, 2026

**Title** Interactive 'ggplot2' Visualization Blocks

**Version** 0.1.0

**Description** Extends 'blockr.core' with interactive blocks for data visualization using 'ggplot2'. Users can build charts through a graphical interface without writing code directly. Includes common chart types (bar charts, line charts, pie charts, scatter plots) as well as statistical plots (boxplots, histograms, density plots, violin plots) with rich customization options and intuitive user interfaces.

**URL** <https://bristolmyerssquibb.github.io/blockr.ggplot/>

**BugReports** <https://github.com/BristolMyersSquibb/blockr.ggplot/issues>

**License** GPL (>= 3)

**Depends** R (>= 4.1.0)

**Encoding** UTF-8

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.3.3

**Imports** blockr.core (>= 0.1.1), colourpicker, ggplot2, glue, patchwork, shiny, shinyjs, shinyWidgets

**Suggests** cowplot, ggpubr, ggthemes, knitr, pkgdown, rmarkdown, rlang, shinytest2, testthat (>= 3.0.0)

**VignetteBuilder** knitr

**Config/testthat/edition** 3

**Config/testthat/parallel** true

**Config/pak/sysreqs** cmake make libuv1-dev zlib1g-dev

**Repository** <https://bristolmyerssquibb.r-universe.dev>

**Date/Publication** 2026-03-08 08:45:18 UTC

**RemoteUrl** <https://github.com/bristolmyerssquibb/blockr.ggplot>

**RemoteRef** HEAD

**RemoteSha** f6b1a525f0793d596cae65323005dc0e73e39db7

## Contents

block_container_script . . . . .	2
block_responsive_css . . . . .	2
new_facet_block . . . . .	3
new_ggplot_block . . . . .	4
new_ggplot_transform_block . . . . .	5
new_grid_block . . . . .	6
new_theme_block . . . . .	7

<b>Index</b>	<b>10</b>
--------------	-----------

---

block\_container\_script

*Generate container query script for responsive blocks*

---

### Description

Sets up container queries if supported by the browser.

### Usage

block\_container\_script()

### Value

HTML script tag

---

block\_responsive\_css *Generate responsive CSS for blockr blocks*

---

### Description

Creates CSS for responsive grid layout using 'block-' prefix. Can be reused across different blockr packages.

### Usage

block\_responsive\_css()

### Value

HTML style tag with responsive CSS

---

new_facet_block	<i>Facet Block</i>
-----------------	--------------------

---

### Description

Applies faceting to a ggplot object using `facet_wrap()` or `facet_grid()`. Accepts a single ggplot input and adds faceting based on data columns.

### Usage

```
new_facet_block(
  facet_type = "wrap",
  facets = character(),
  rows = character(),
  cols = character(),
  ncol = character(),
  nrow = character(),
  scales = "fixed",
  labeller = "label_value",
  dir = "h",
  space = "fixed",
  ...
)
```

### Arguments

<code>facet_type</code>	Type of faceting: "wrap" or "grid" (default: "wrap")
<code>facets</code>	Column(s) to facet by for <code>facet_wrap</code> (character vector)
<code>rows</code>	Column(s) for row facets in <code>facet_grid</code> (character vector)
<code>cols</code>	Column(s) for column facets in <code>facet_grid</code> (character vector)
<code>ncol</code>	Number of columns for <code>facet_wrap</code> (default: NULL for auto)
<code>nrow</code>	Number of rows for <code>facet_wrap</code> (default: NULL for auto)
<code>scales</code>	Scale behavior: "fixed", "free", "free_x", "free_y" (default: "fixed")
<code>labeller</code>	Labeller function: "label_value", "label_both", "label_parsed" (default: "label_value")
<code>dir</code>	Direction for <code>facet_wrap</code> : "h" (horizontal) or "v" (vertical) (default: "h")
<code>space</code>	Space behavior for <code>facet_grid</code> : "fixed", "free_x", "free_y" (default: "fixed")
<code>...</code>	Forwarded to <code>new_ggplot_transform_block()</code>

### Value

A ggplot transform block object of class `facet_block`.

**Examples**

```
# Create a facet wrap block
new_facet_block(facet_type = "wrap", facets = "cyl")

# Create a facet grid block
new_facet_block(facet_type = "grid", rows = "cyl", cols = "gear")

if (interactive()) {
  library(blockr.core)
  # Facet block requires a ggplot input
  serve(new_facet_block())
}
```

---

new\_ggplot\_block

*Universal ggplot block with selectable visualization types*


---

**Description**

A flexible block that allows users to select from various ggplot2 geoms and dynamically shows relevant aesthetics for the selected visualization.

**Usage**

```
new_ggplot_block(
  type = "point",
  x = character(),
  y = character(),
  color = character(),
  fill = character(),
  size = character(),
  shape = character(),
  linetype = character(),
  group = character(),
  alpha = character(),
  density_alpha = 0.8,
  position = "stack",
  bins = 30,
  donut = FALSE,
  ...
)
```

**Arguments**

type	Initial chart type (default "point"). Options: "point", "bar", "line", "boxplot", "violin", "density", "area", "histogram", "pie"
x	Column for x-axis

y	Column for y-axis
color	Column for color aesthetic
fill	Column for fill aesthetic
size	Column for size aesthetic
shape	Column for shape aesthetic
linetype	Column for linetype aesthetic
group	Column for group aesthetic
alpha	Column for alpha aesthetic (variable transparency)
density_alpha	Fixed alpha value for density plots (default 0.8)
position	Position adjustment for certain geoms
bins	Number of bins for histogram
donut	Whether to create donut chart when type is "pie" (default FALSE)
...	Forwarded to <a href="#">new_plot_block</a>

**Value**

A plot block object of class `ggplot_block`.

**Examples**

```
# Create a scatter plot block
new_ggplot_block(type = "point", x = "mpg", y = "hp")

# Create a bar chart block
new_ggplot_block(type = "bar", x = "cyl")

if (interactive()) {
  library(blockr.core)
  serve(new_ggplot_block(), list(data = mtcars))
}
```

---

`new_ggplot_transform_block`

*ggplot transform block constructor*

---

**Description**

Creates a specialized block for ggplot2-based visualizations. This block returns ggplot objects as data, allowing ggplot blocks to be chained together (e.g., for combining plots with patchwork). Custom output methods ensure plots are displayed properly rather than as data tables.

**Usage**

```
new_ggplot_transform_block(server, ui, class, ctor = sys.parent(), ...)
```

**Arguments**

server	Server function for the block
ui	UI function for the block
class	Character vector of CSS classes for the block
ctor	Constructor environment (default <code>sys.parent()</code> )
...	Additional arguments forwarded to <code>blockr.core::new_block()</code>

**Value**

A `ggplot_transform_block` object

**Examples**

```
# This is a low-level constructor typically used by other block creators
# See new_ggplot_block() for user-facing examples
```

---

new_grid_block	<i>Grid Block</i>
----------------	-------------------

---

**Description**

Combines multiple ggplot objects using `patchwork::wrap_plots()`. Variadic block that accepts 1 or more ggplot inputs with automatic alignment. Supports layout control (`ncol`, `nrow`) and annotations (`title`, `subtitle`, `auto-tags`).

**Usage**

```
new_grid_block(
  ncol = character(),
  nrow = character(),
  title = character(),
  subtitle = character(),
  caption = character(),
  tag_levels = character(),
  guides = "auto",
  ...
)
```

**Arguments**

<code>ncol</code>	Number of columns in grid layout (default: NULL for auto)
<code>nrow</code>	Number of rows in grid layout (default: NULL for auto)
<code>title</code>	Overall plot title (default: "")
<code>subtitle</code>	Overall plot subtitle (default: "")

caption	Overall plot caption (default: "")
tag_levels	Auto-tagging style: 'A', 'a', '1', 'I', 'i', or NULL (default: NULL)
guides	Legend handling: 'auto', 'collect', or 'keep' (default: 'auto')
...	Forwarded to <a href="#">new_ggplot_transform_block()</a>

**Value**

A ggplot transform block object of class `grid_block`.

**Examples**

```
# Create a grid block with 2 columns
new_grid_block(ncol = "2")

# Create a grid block with title
new_grid_block(title = "My Combined Plots", ncol = "2")

if (interactive()) {
  library(blockr.core)
  # Grid block requires multiple ggplot inputs
  serve(new_grid_block())
}
```

---

new_theme_block	<i>Theme customization block for ggplot2 plots</i>
-----------------	--

---

**Description**

A block that applies advanced theme customizations to ggplot2 objects. Allows fine-grained control over backgrounds, fonts, grid lines, and more. Empty/NULL values will use the base theme's defaults.

**Usage**

```
new_theme_block(
  panel_bg = "",
  plot_bg = "",
  base_size = "auto",
  base_family = "auto",
  show_major_grid = "auto",
  show_minor_grid = "auto",
  grid_color = "",
  show_panel_border = "auto",
  legend_position = "auto",
  base_theme = "auto",
  palette_fill = "auto",
```

```

    palette_colour = "auto",
    ...
)

```

### Arguments

panel_bg	Panel background color (default "" uses base theme default)
plot_bg	Plot background color (default "" uses base theme default)
base_size	Base font size in points (default "auto" uses base theme default)
base_family	Font family: "auto", "sans", "serif", or "mono" (default "auto" preserves upstream font)
show_major_grid	Show major grid lines: "auto", "show", "hide" (default "auto" uses base theme default)
show_minor_grid	Show minor grid lines: "auto", "show", "hide" (default "auto" uses base theme default)
grid_color	Grid line color (default "" uses base theme default)
show_panel_border	Show panel border: "auto", "show", "hide" (default "auto" uses base theme default)
legend_position	Legend position: "auto", "right", "left", "top", "bottom", "none" (default "auto" preserves upstream position)
base_theme	Base ggplot2 theme: "auto", "minimal", "classic", "gray", "bw", etc. (default "auto" preserves upstream theme)
palette_fill	Color palette for fill aesthetic: "auto" (keep upstream), "viridis", "magma", "plasma", "inferno", "cividis", or "ggplot2" (default "auto" preserves upstream palette)
palette_colour	Color palette for colour aesthetic: "auto" (keep upstream), "viridis", "magma", "plasma", "inferno", "cividis", or "ggplot2" (default "auto" preserves upstream palette)
...	Forwarded to <a href="#">new_transform_block</a>

### Value

A ggplot transform block object of class `theme_block`.

### Examples

```

# Create a theme block with classic theme
new_theme_block(base_theme = "classic")

# Create a theme block with custom settings
new_theme_block(
  base_theme = "minimal",
  legend_position = "bottom",

```

```
    base_size = 14
  )

  if (interactive()) {
    library(blockr.core)
    # Theme block requires a ggplot input
    serve(new_theme_block())
  }
}
```

# Index

`block_container_script`, 2  
`block_responsive_css`, 2  
`blockr.core::new_block()`, 6

`new_facet_block`, 3  
`new_ggplot_block`, 4  
`new_ggplot_transform_block`, 5  
`new_ggplot_transform_block()`, 3, 7  
`new_grid_block`, 6  
`new_plot_block`, 5  
`new_theme_block`, 7  
`new_transform_block`, 8